## **AXE Equipment The Intimidator**







The Intimidator Model is truly intimidating in size and power. Its large 36"x 60" working capacity and 2000 lb weight capacity will accommodate a host of large truck and industrial applications. Standard equipment on the Intimidator features pneumatic door clamps, built in hot tank, manual rollout wheel, and a powerful 15 hp pump motor flowing 225 gallons per minute of hot cleaning solutions for fast and efficient cleaning.



No need to reach into the spray chamber to pull out the work piece. Our handy rollout wheel feature allows you to simply turn the wheel, driving the work piece out of the spray chamber. It is safe, convenient, and fast



If gas heat is your preference you will like our exclusive state of the art power gas burners. Our power gas burner design puts all the components outside the fire box and away from heat. Components last longer, service is easier and maintenance cost reduced, in addition all sensitive electronics are placed inside a Vapor tight box to eliminate any malfunctions due to moisture.



A sturdy footstep and a step assist handle are provided for operator convenience, when loading or unloading, or manual rinsing.



Heavy duty adjustable head rack comes with all the SW-3660 Intimidator models. Includes a large round base and lifting hook for ease of loading and unloading



When cleaning in the spray chamber, the powerful 15 HP Pump agitates hot cleaning solutions through the 24" x 44" x 11" built in hot tank. This feature permits blocks, heads, or small parts to be hot tanked prior to spraywashing at no extra cost.



## **Bullet Proof**

Heavy duty electrical components designed to protect your pump motors, electric heaters, gas burners, and turntable drive motors from both short circuits and thermal overloads.



All Axe Equipment water manifolds incorporate Full 360 degree manifold constructed from 2" tubing and designed with radius elbows for high performance water flow. The SW-3660 uses a powerful 15 hp pump pushing 225 gpm at 80 psi through 27 perfectly placed nozzles for fast and efficient cleaning. (Model SW-2832 shown)



Gear driven turntable with spring loaded safety clutch guarantees consistent turntable rotation within the spraychamber for a complete cleaning job.



Heat is very important in the cleaning process and that is why every AXE Equipment washer is outfitted with a digital temperature controller for controlling and monitoring the heat process in the tank.



For Quality and Efficiency Look To AXE



1-800-251-0018

## **INTIMIDATOR MACHINE SPECIFICATIONS**

Specifications subject to change without notice

· · · · · · · · · · · · · · · · · · ·	ubject to change without not	
MODEL	SW-3660-E	SW-3660-G
WORK CAPACITY		
HEIGHT	60"	60"
TURNTABLE DIAMETER	36"	36"
LOAD WEIGHT	2000 lbs	2000 lbs
FLOOR SPACE REQUIRED		
HEIGHT	110"	110"
LENGTH: DOOR OPEN	118"	118"
LENGTH: DOOR CLOSED	77"	77"
WIDTH	64"	64"
LOADING HEIGHT	34"	34"
SHIPPING WEIGHT	+	
	3000 lbs	3200 lbs
CLEANING SYSTEM	000	200
SOLUTION CAPACITY	230 gals.	230 gals.
PUMP MOTOR	15 HP	15 HP
PUMP OUTPUT	80 psi @ 225 gpm	80 psi @ 225 gpm
SPRAY NOZZLES	27	27
FILTER SCREEN	2550 sq."	2550 sq."
CABINET CONSTRUCTION		
GAUGE STEEL	12 inner / 16 outer	12 inner / 16 outer
INSULATION	1" fiberglass	1" fiberglass
STEAM VENT	6"	6"
GAS VENT	N/A	6"
HOT TANK BASKETS	19/74	
HOT TANK BASKETS	04" \ 44" \ 44"	04" V 44" V 44"
HEAT SOURCE	24" X 44" X 11"	24" X 44" X 11"
	04.5104	21/2
ELECTRIC HEAT	21.5 KW	N/A
GAS BURNER (btu)	N/A	225,000 btu
ELECTRICAL REQUIREMENTS		
PUMP MOTOR 3 PHASE	208v 48.3 Amps	208v 48.3 Amps
	230v 42.0 Amps	230v 42.0 Amps
	460v 21.0 Amps	460v 21.0 Amps
ELECTRIC HEAT 3 PHASE	208v 59.7 Amps	- 
	230v 54.0 Amps	N/A
	460v 27.0 Amps	1
DRIVE MOTOR	.60 Amps	.60 Amps
GAS BURNER	N/A	2.5 Amps
STANDARD EQUIPMENT		, , , , , , , , , , , , , , , , , , ,
HOT TANK BASKET & LIFT BAR	Yes	Yes
HEAD RACK / CRANK RACK	Yes	Yes
DUAL 7 DAY TIMERS	Yes	Yes
DIGITAL THERMO CONTROLLER	Yes	Yes
AUTO AIR INDUCER	Yes	Yes
LIQUID LEVEL CONTROLLER	Yes	No
	(Electric heated only)	
MECHANICAL ROLLOUT TURNTABLE	Yes	Yes
PHEUMATIC DOOR CLAMPS	Yes	Yes
OPTIONS		
460 VOLT 3 PHASE		
208 VOLT 3 PHASE		
SW-3660 BOOM & CRANE ASSY W/ TROLLEY		
OIL SKIMMER		
GAS BURNER COVER	+	
12" X 12" X 8" HAND BASKET	+	
12" X 12" X 5" PARTS BASKET WITH LID		
	1	
10" X 10" X 4" PARTS BASKET WITH LID 28" ROUND BASKET	+	